


WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Wednesday, December 29, 2004

Hide?	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L9	5668984.pn.	1
<input type="checkbox"/>	L8	(data frame or frame or packet) same receiv\$3 port same congestion	12
<input type="checkbox"/>	L7	(data frame or frame or packet) same receiv\$3 port near5 information same congestion	0
<input type="checkbox"/>	L6	(data frame or frame or packet) samereceiv\$3 port near5 information same congestion	0
<input type="checkbox"/>	L5	(transmit\$4 or receiv\$4) near5 (data frame or frame or packet) samereceiv\$3 port near5 information same congestion	0
<input type="checkbox"/>	L4	(transmit\$4 or receiv\$4) near5 (data frame or frame or packet) near5 receiv\$3 port near5 information same congestion	0
<input type="checkbox"/>	L3	(transmit\$4 or receiv\$4) near5 (data frame or frame or packet) near5 receiv\$3 port near5 information	97
<input type="checkbox"/>	L2	(transmit\$4 or receiv\$4) near5 (data frame or frame or packet) near5 receiv\$3 port	679
<input type="checkbox"/>	L1	6628612.pn.	1

END OF SEARCH HISTORY



W b Results 1 - 10 of about 18,100 for **transmitting receive port data frame first port detecting congestion**

Tip: Save time by hitting the return key instead of clicking on "search"

4-Port Ethernet Switch Configuration Notes for the Cisco 1700 ...

... The identifier of the **transmitting port**. ... Note When a switch transmits a bridge packet **data** unit (BPDU ... the LAN on which the **frame** is transmitted **receive** the BPDU. ...

[www.cisco.com/en/US/products/hw/routers/ ps221/prod_configuration_basics09186a00801a055a.html](http://www.cisco.com/en/US/products/hw/routers/ps221/prod_configuration_basics09186a00801a055a.html) - 101k -

[Cached](#) - [Similar pages](#)

Cisco WAN Switching System Overview, Release 9.1 - Frame Relay ...

... **congestion** detected at either the **transmitting** end of ... The connection transmit and **receive data** rates are controlled ... separate buffer for each **frame relay port**. ...

[www.cisco.com/en/US/products/hw/switches/ ps525/products_technical_reference_chapter09186a00800d98ba.html](http://www.cisco.com/en/US/products/hw/switches/ps525/products_technical_reference_chapter09186a00800d98ba.html) - 101k -

[Cached](#) - [Similar pages](#)

[[More results from www.cisco.com](#)]

Cisco Systems Frame Relay Connections

... set as a result of **congestion** detected at either the **transmitting** end of ... **Frame relay port** (local and remote ... Minimum guaranteed bandwidth (transmit and **receive**). ...

[www.alliancedatacom.com/ cisco-frame-relay-connections.htm](http://www.alliancedatacom.com/cisco-frame-relay-connections.htm) - 101k - [Cached](#) - [Similar pages](#)

[PDF] Hybrid Communication Network for Autonomous Agents

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... When a **port** jabbars it is removed from, the network ... wireless media can only transmit or **receive** at any ... the media when the device is **transmitting** so collisions ...

www.mil.ufl.edu/publications/fcrar00/bruckmeyer.pdf - [Similar pages](#)

FlowNet: An Inexpensive High-Performance Network

... for a collision to occur that the **transmitting** node would ... network, every node has its own switch **port** and there ... a single node, which still can **receive** only one ...

www.flownet.com/gat/fnlj.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] Frame Relay Congestion Control

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... by promoting cooperation between the **transmitting** customer premise ... transmission rate when they **receive** word of ... leading to a transmission **port** could become too ...

[www.lucent.com/livlink/ 09009403800049af_White_paper.pdf](http://www.lucent.com/livlink/09009403800049af_White_paper.pdf) - [Similar pages](#)

TCP - UDP Comparative analysis - Data Communications and Networks ...

... connection-oriented means that before actually **transmitting data**, you must ... exist at a time to **receive data** sent to ... Usually one **port** is dedicated to one process ...

[www.laynetworks.com/ Comparative%20analysis_TCP%20Vs%20UDP.htm](http://www.laynetworks.com/Comparative%20analysis_TCP%20Vs%20UDP.htm) - 86k - [Cached](#) - [Similar pages](#)

Cisco Sem3 Lesson 2 - LAN Switching

... read and the switch begins **transmitting** the packet ... transmit circuit connects directly to **receive** circuit; no ... before the packet finishes entering the input **port**. ...

www.delmar.edu/Courses/ITSC1391/Sem3/2LANswitching.htm - 25k - [Cached](#) - [Similar pages](#)

[PDF] www.jbmelectronics.com **Port** Definition Name: _____ **Port** Mode: DCE ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... received, the **port** expands the spaces before **transmitting** the **data** ... and **receive** lines, or how the **port** will function ... to send for the primary and **receive** for the ...

www.jbmelectronics.com/doc/wk_sna_h.pdf - [Similar pages](#)

[BytePile.com - Fibre Channel Overview](#)


... a Receiver_Ready primitive signal to the **transmitting Port** whether it has free **receive** buffers for ... 1, **Frames** are delivered to the destination **Port** in the ...

www.bytepile.com/Fibre_Channel_Overview.php - 47k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



transmitting receive port data fra Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google